



SINCE 1848

SERVICE BODIES




** Shown with optional equipment*



FREE AT UTR ES

- Rugged 14-gauge two-sided A-40 galvanized steel body shell. **With Knapheide's exclusive six-year warranty.**



- Complete undercoating provides extra protection from corrosion and road debris.



- Exclusive "Return Flange" floor design provides support for side compartments, adds floor strength, and eliminates rust-prone exposed seam between floor and side compartments.



- Double spring over center door closures on all vertical doors, keeps door in positive open or closed position.



- 250 lb. capacity adjustable divider shelves made of spangled galvanized steel. Limited quantity of dividers furnished standard. Divider slots on 4" centers. **With Knapheide's exclusive six-year warranty.**



Picture shown with optional bumper and hitch.



- Standard slamable tailgate shown. Slam lockable with one hand center release. Strong double panel construction has flat interior surface for work bench use.



- Exclusive "Quick Mount" installation permits quick, safe mounting of body and bumper, allows easy transfer from chassis to chassis (meets FMVSS301 requirements.)



- Interior light guards provide protection for optional recessed lighting and wiring package.



- Exclusive thick automotive bulb-type neoprene door seals protect compartment contents from weather.



- Exclusive all stainless steel continuous hinge provides superior corrosion protection, full length support for the doors and pry-proof security with a built-in weather shield. Hinge is supported with Knapheide's exclusive six-year warranty.



- Double-shell, 20-gauge, two-sided A-40 galvanneal steel hat section reinforced doors for durability and long life.



Shown with optional equipment.



FRONT

- Stainless steel paddle activated, rotary-style latches close easily and stay closed. Individually lockable bolt-on latches can be removed for repair or replacement. With Knapheide's exclusive six-year warranty.



- Exclusive adjustable "Security Ring" strikers provide strength, security and a weather tight seal throughout the life of the body.



BACK

- Interior cover secures the latch to the door and protects latch mechanisms from being damaged.

K-Coat Protection

CLEANING

Aggressive high pressure spraying and immersion combine to thoroughly clean all surfaces.



PRETREATMENT

Zinc phosphate and sealer immersion provides a corrosion inhibiting barrier while preparing the surfaces for greater paint adhesion.

ELECTROCOATING AND RINSE

Epoxy primer is applied by immersing the product in the positive charged tank. Paint solids are fused and electrically bonded to all surfaces. Unbonded paint is rinsed, leaving a smooth uniform thickness.



CURING

The E-coated product is baked at 340° for 42 minutes to cross link the coating, leaving a hard durable rust resistant finish.

6 Year Limited Warranty

- ▶ No rust through
- ▶ Door hinges will not fail or come off the body
- ▶ Latches and lock cylinders will not fail to operate.
- ▶ Shelves will not bend under max. load of 250 lb.


Defects from workmanship and/or material not specified above are covered with a one (1) year warranty.




FOR MORE INFORMATION ON WARRANTY GO TO:

www.knapheide.com>Products>Service Body>Warranty

40" CA SRW



56" CA SRW



BODIES

MODEL	TYPE	HEIGHT	WEIGHT ²
680J	Standard	40"	1041 lb.
680LPJ	Low Profile	36"	982 lb.
680FJ	Flip Top (L)	37.25"	1087 lb.
680FJ40	Flip Top (H)	41.25"	1146 lb.

MODEL	TYPE	HEIGHT	WEIGHT ²
696J	Standard	40"	1215 lb.
696LPJ	Low Profile	36"	1163 lb.
696FJ	Flip Top (L)	37.25"	1287 lb.
696FJ40	Flip Top (H)	41.25"	1338 lb.
696D38J*	Standard	40"	1256 lb.
696D38LPJ*	Low Profile	36"	1203 lb.
696D38FJ*	Flip Top	37.25"	1326 lb.

*D38 models (floor= 38"W; Compartments= 20"D)

TRUCKS


TRUCK*1	CAB	WB	GVWR
X2A/X2B	Super	142"	9,000/10,000 lb.
W2A/W2B	Crew	156"	9,200/10,000 lb.
X3A/X3B	Super	142"	10,000/11,400 lb.
W3A/W3B	Crew	156"	10,000/11,400 lb.

TRUCK*1	CAB	WB	GVWR
F2A/F2B	Reg.	137"	8,800/9,600 lb.
X2A/X2B	Super	158"	9,200/10,000 lb.
W2A/W2B	Crew	172"	9,400/10,000 lb.
F3A/F3B	Reg.	137"	10,000/11,100 lb.
X3A/X3B	Super	158"	10,000/11,400 lb.
W3A/W3B	Crew	172"	10,000/11,500 lb.


*Approved for pickup box removal

*Pickup Box Delete (66D)

56" CA DRW



60" CA DRW



BODIES

MODEL	TYPE	HEIGHT	WEIGHT ²
696D54J	Standard	40"	1402 lb.
696D54LPJ	Low Profile	36"	1347 lb.
696D54FJ	Flip Top (L)	37.25"	1470 lb.
696D54FJ40	Flip Top(H)	41.25"	1525 lb.

MODEL	TYPE	HEIGHT	WEIGHT ²
6108D54J	Standard	40"	1508 lb.
6108D54LPJ	Low Profile	36"	1445 lb.
6108D54FJ	Flip Top (L)	37.25"	1580 lb.
6108D54FJ40	Flip Top (H)	41.25"	1643 lb.
6108XWJ*	Standard	40"	1473 lb.
6108XWLPJ*	Low Profile	36"	1409 lb.
6108XWFJ*	Flip Top	37.25"	1544 lb.

*XW model (floor= 65"W; compartments= 14.5"D)

TRUCKS


TRUCK*1	CAB	WB	GVWR
F3C/F3D	Reg.	137"	11,800/13,000 lb.
X3C/X3D	Super	158"	12,200/13,000 lb.
W3C/W3D	Crew	172"	12,600/13,000 lb.

CHASSIS CAB'	CAB	WB	GVWR
F3G/F3H	Reg.	141"	13,000 lb.
X3G/X3H	Super	162"	13,000 lb.
W3G/W3H	Crew	176"	13,000 lb.
F4G/F4H	Reg.	141"	16,000 lb.
X4G/X4H	Super	162"	16,000 lb.
W4G/W4X	Crew	176"	16,000 lb.
F5G/W5H	Reg.	141"	17,950/19,000 lb.
X5G/X5H	Super	162"	17,950/19,000 lb.
W5G/W5H	Crew	176"	17,950/19,000 lb.

*Pickup Box Delete (66D)


1. Chassis and body combinations are subject to the chassis manufacturer's requirements for certification.
 2. Weight is the mounted weight including standard shelving and mounting kit plus optional Galva-Grip bumper with ball hitch plate.
- Applications and specifications subject to change without notice.

60" CA SRW



BODIES	MODEL	TYPE	HEIGHT	WEIGHT*
	6108J	Standard	40"	1338 lb.
	6108LPJ	Low Profile	36"	1276 lb.
6108FJ	Flip Top		37.25"	1411 lb.
TRUCKS	CHASSIS CAB ¹	CAB	WB	GVWR
	F3E/F3F	Reg.	141"	10,000/11,000 lb.
	X3E/X3F	Super	162"	10,000/11,400 lb.
	W3E/W3F	Crew	176"	10,000/11,500 lb.

84" CA DRW




BODIES	MODEL	TYPE	HEIGHT	WEIGHT*
	6132D54J	Standard	40"	1818 lb.
	6132D54LPJ	Low Profile	36"	1740 lb.
	6132D54FJ	Flip Top (L)	37.25"	1904 lb.
	6132D54FJ40	Flip Top (H)	41.25"	1982 lb.
6132XWJ*	Standard	40"	1769 lb.	
	*XW model (floor=65"W; compartments= 14.5"W)			
TRUCKS	CHASSIS CAB ¹	CAB	WB	GVWR
	F3G/F3H	Reg.	165"	13,000 lb.
	F4G/F4H	Reg.	165"	16,000 lb.
	W4G/W4H	Crew	200"	16,000 lb.
	F5G/F5H	Reg.	165"	17,950/19,000 lb.
	W5G/W5H	Crew	200"	17,950/19,000 lb.

108" CA DRW Body model 6157D54J available for F4G, 4H, 5G & 5H chassis with 189" WB, Regular cab.

Plus 50 Models

(50% more effective storage capacity)

All models shown in *italic* in charts at left are available as plus 50



Plus 50 models feature transverse compartment in curb side front vertical extending to street side compartment back.

- 40" high bodies have (3) drawer unit with 8.5" high tunnel under drawers.
- 36" and 37.25" high bodies have (2) drawer unit with 8" high tunnel under drawers.
- W and D54 models have 69" long drawers with 46" extension. All other models have 59" long drawers with 41" extension.
- Drawers are 24" wide (20" clear) and 3" high, and are removeable.
- Ball bearing drawer guides for ease of movement.
- Drawers are 250 lb. rated.
- Drawers have hemmed dividers on 4" centers.



FOR MORE INFORMATION ON PLUS 50 BODIES GO TO:

www.knapheide.com>Products>Service Body >Specifications>Plus 50 Series Service Bodies

COMPARTMENTATION



700 Series has 500 Series configuration on curb side and 600 Series on street side. 500 and 700 Series available on most models.

STANDARD SHELVING

- Two (2) adjustable divider shelves & dividers, street & curb side front vertical comp. (1st & 2nd vertical 132" bodies only)
- One (1) adjustable divider shelf & dividers, street and curb side second front vertical compartment (157" bodies)
- One (1) adjustable divider shelf & dividers, street and curb side full height rear vertical compartment
- One (1) adjustable divider shelf & dividers, curb side horizontal compartment



FOR MORE INFORMATION ON BODY MODELS AND SPECIFICATIONS GO TO:

www.knapheide.com>Products>Service Body >Specifications>Standard Service Bodies

PROFIT




FOR MORE INFORMATION ON Knaplock Keyless Entry GO TO:

www.knapheide.com/Knaplock


Knaplock



Knaplock Keyless Entry



Master Locking System




Receiver Hitch



FOR MORE INFORMATION ON STANDARD CANOPY ROOFS, GO TO:


www.knapheide.com/Products>Service Body>Specifications>Canopy Roofs



Standard Canopy Roof



LED Compartment Lighting




Cargo Management System




FOR MORE INFORMATION ON TELESCOPIC SLIDING ROOFS, GO TO:


www.knapheide.com/Products>Service Body>Specifications>Telescopic Sliding Roofs




Telescopic Sliding Roof




Pull-Out Divider Shelf




Pull-out Tray (500 lb. cap.)



**Corner Mount Crane Kit
(16,000 ft. lb. rated)**





Raised Front Compartment




Bottle Gas Retainer


Aluminum Trim Kit




Aluminum Rock Guards




Aluminum Fuel Fill Cup Ford




Overhead Ladder Rack




Shelf Liner




Multiple Dividers




Side Mount Ladder Rack




Cargo Tie-Downs




Spare Tire Retainer




Galva-Grip Bumper




Galva-Grip w/ Recess




Galva-Grip w/ Ball Plate




Tailshelf




Cone Holder




Fuel Hose Guard




Water Cask Stand




Shovel Box




Rear Access Door with Full Length Shelf




3, 4 & 6 Drawer Cabinets




9 & 18 Drawer Cabinets




Book Rack




Bottle Gas Retainer Cargo Area




Louver Vents




Treadplate Overlay Compartment Tops




Treadplate Overlay Compartment Backs




Stainless Steel Rotary Latch




T-Handle Twist Latch
Single or 3-point locking, Galvanneal or Stainless




Wheel Chock




Fender Skirt Cutout for Wheel Chock




Combination Stationary and Swivel Hooks




Material Rail with Sliding Hooks




Vice Bracket and Front Pipe Support



Mechanics Vice Bracket



LED Lights



Grab Handle



FOR MORE INFORMATION
ON THESE AND MORE
OPTIONS GO TO:

www.knapheide.com>Products
>Service Bodies>Option Fit



From the industry's most modern manufacturing plant...
...come the highest quality and most complete line of truck bodies



FOR MORE INFORMATION
ON KNAPHEIDE PRODUCTS GO TO:

www.knapheide.com>Products

The Knapheide Manufacturing Company
1848 Westphalia Strasse
Quincy, Illinois 62305

(217) 222-7131

www.knapheide.com

knapheide@knapheide.com

L62F 10M 410 F



SINCE 1848

Quality You Ask For By Name

Copyright © 2010 The Knapheide Manufacturing Company

For more information:



Specifications subject to change without notice.